




REPLACEMENT SHEET

CASE 5256

SERIAL # 09/934,373


METHOD OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES
SEIIN KOBAYASHI et. al.

1/11



RANDOMLY
INSTALLED
AT JOB SITE

FIG. -1B-



36 ORIGINAL
PATTERNS
AND COLORS

FIG. -1A-

BEST AVAILABLE COPY

REPLACEMENT SHEET

CASE 5256

SERIAL # 09/934,373

METHOD OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES

SEIIN KOBAYASHI et. al.

2/11




FIG. -2A-

REPLACEMENT SHEET

CASE 5256

SERIAL # 09/934,373

METHOD. OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES
SEIIN KOBAYASHI et. al.

3/11




FIG. -2B-



REPLACEMENT SHEET

CASE 5256

SERIAL # 09/934,373

METHOD OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES
SEIIN KOBAYASHI et. al.

4/11




FIG. -3-

BEST AVAILABLE COPY



REPLACEMENT SHEET







CASE 5256

SERIAL # 09/934,373

METHOD OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES
SEIIN KOBAYASHI et. al.

5/11

Two sets of tile are manufactured for one installation.



ONE COMPLETE SET
TO INSTALLATION

FIG. -4A-

THE SECOND SET TO
WAREHOUSE

FIG. -4B-

BEST AVAILABLE COPY



REPLACEMENT SHEET

CASE 5256

SERIAL # 09/934,373


METHOD OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES
SEIIN KOBAYASHI et. al.

6/11

Before washing a “map” of the installation must be made.

After washing, tile must be replaced in its original location because of differences in wear and soiling over time.

1	2	3	4	5	6	7	8	9	10
DOOR	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



ALL TILE MUST BE NUMBERED
ON THE BACK

INSTALLATION MAP TO MARK
POSITION OF EACH TILE

FIG. -5A-

FIG. -5B-



REPLACEMENT SHEET

CASE 5256


SERIAL # 09/934,373

METHOD OF PATTERNING, INSTALLING, RENEWING AND/OR RECYCLING CARPET TILES
SEIIN KOBAYASHI et. al.

7/11

After mapping the installation, the first set of tile is taken up, is then washed and placed in storage until it is needed again.

The second set of tile is installed in its place. The cycle begins again.



FIRST SET IS WASHED AND THEN
PLACED INTO WAREHOUSE

FIG. -6A-

SECOND SET IS
INSTALLED IN ITS PLACE

FIG. -6B-

BEST AVAILABLE COPY